

Hānau1A18**Native Hawaiian Women Binge Drinking 3 Months Before Pregnancy (having four or more drinks on one occasion) in Hawai'i: 2009-2014****Survey Question:** During the 3 months before you got pregnant, how many times did you drink 4 alcoholic drinks or more in a 2 hour time span?

Year	State of Hawai'i				Native Hawaiian			
	No.	Binge drinking 3 months before pregnancy	95%CI Lower Limit	95%CI Upper Limit	No.	Binge drinking 3 months before pregnancy	95%CI Lower Limit	95%CI Upper Limit
2009	4,200	23.1%	20.6%	25.9%	1,600	27.2%	22.5%	32.4%
2010	4,600	25.2%	22.5%	28.2%	1,700	30.4%	25.4%	35.9%
2011	4,400	24.0%	21.3%	26.8%	1,600	30.8%	25.7%	36.4%
2012	3,500	19.8%	17.2%	22.6%	1,400	27.5%	22.1%	33.6%
2013	3,400	18.9%	16.2%	21.8%	1,300	23.6%	18.8%	29.3%
2014	2,900	16.6%	14.0%	19.5%	1,000	21.4%	16.1%	27.8%

Source: Hawai'i State, Department of Health, Hawai'i Health Data Warehouse. Hawai'i Pregnancy Risk Assessment Monitoring System, PRAMS Health Indicator Report- Binge drinking 3 months before pregnancy (2009+)