

Table 7.115

Native Hawaiian Prevalence of Chronic Obstructive Pulmonary Disease (COPD) (45+) in Hawai'i: 2009-2013

Survey Question: Have you ever been told by a doctor or another health professional that you have chronic obstructive pulmonary disease, also called COPD, emphysema or chronic bronchitis?

Year	Native Hawaiian						
	Yes			No			Estimated Population
	No.	%	C.I. (95%)	No.	%	C.I. (95%)	No.
2013	3,000	6.8	4.2-9.4	41,100	93.2	90.6-95.8	44,100
2012	3,700	7.0	4.2-9.7	49,900	93.0	90.3-95.8	53,600
2011	3,700	8.5	5.1-12.0	39,500	91.5	88.0-94.9	43,200
2010	4,100	3.3	2.1-4.6	118,500	96.7	95.4-97.9	122,600
2009	6,400	5.6	3.2-8.0	107,600	94.4	92.0-96.8	114,100

Year	State of Hawai'i						
	Yes			No			Estimated Population
	No.	%	C.I. (95%)	No.	%	C.I. (95%)	No.
2013	37,100	6.3	5.3-7.3	550,800	93.7	92.7-94.7	587,900
2012	27,900	4.8	4.0-5.7	550,300	95.2	94.3-96.0	578,200
2011	33,000	6.1	5.1-7.1	509,600	93.9	92.9-94.9	542,600
2010	26,600	2.8	2.3-3.3	919,800	97.2	96.7-97.7	946,400
2009	27,400	3.0	2.4-3.5	901,700	97.0	96.5-97.6	929,100

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. Behavioral Risk Factor Surveillance System. COPD - prevalence (45+), for the State of Hawai'i.