

Table 7.159 Selected Risk Behaviors by Race-Ethnicity in Hawai'i: 2013

Race-Ethnicity	High Blood Cholesterol		Diabetes		High Blood Pressure		Overweight (25 ≤ BMI < 30)		Obese (BMI ≥ 30)		Current Smoker		Binge Drinking		Heavy Drinking	
	%	C.I.(95%)	%	C.I.(95%)	%	C.I.(95%)	%	C.I.(95%)	%	C.I.(95%)	%	C.I.(95%)	%	C.I.(95%)	%	C.I.(95%)
Caucasian	31.5	29.0-34.1	5.1	4.0-6.2	23.0	20.9-25.1	35.1	32.5-37.6	20.6	18.3-22.9	13.1	11.2-15.1	20.4	18.2-22.7	10.0	8.4-11.5
Native Hawaiian	32.3	27.7-37.0	11.1	8.3-13.8	29.7	25.5-33.9	33.6	29.4-37.8	39.0	34.6-43.3	22.2	18.5-26.0	26.1	22.1-30.1	9.0	6.4-11.5
Chinese	38.5	31.3-45.8	10.2	5.7-14.8	30.0	23.9-36.1	26.9	20.8-33.1	8.7	5.3-12.2	3.6	0.8-6.3	7.8	3.6-12.0	2.4	0.8-4.0
Filipino	34.9	29.7-40.1	12.0	8.7-15.2	28.7	24.6-32.8	35.2	30.7-39.6	16.9	13.5-20.3	13.2	9.8-16.6	17.0	13.1-20.8	5.7	3.6-7.8
Japanese	42.6	39.0-46.3	9.0	7.0-11.0	39.7	36.2-43.1	33.4	30.1-36.6	14.4	11.7-17.1	10.5	8.4-12.6	13.0	10.7-15.4	5.6	3.8-7.4
Black	29.5	10.7-48.3	6.0	0.0-13.4	24.3	9.9-38.6	37.3	23.4-51.2	31.0	15.9-46.2	14.4	5.2-23.7	15.9	6.7-25.1	4.1	0.0-8.4
Other Asian	35.1	22.2-48.0	6.8	1.8-11.8	22.2	12.6-31.9	30.2	18.5-41.9	11.9	5.0-18.7	n/r	n/r	22.0	12.2-31.8	6.1	1.4-10.8
Other Pacific Islander	24.2	13.5-34.9	7.0	2.9-11.2	17.7	10.1-25.4	21.3	14.4-28.3	57.4	47.9-67.0	15.9	7.1-24.8	26.4	17.4-35.4	12.4	4.2-20.6
Other	25	16.4-33.7	10.5	4.7-16.3	19.4	11.0-27.7	38.6	28.8-48.4	30.2	19.4-41.1	20.9	12.6-29.2	27.4	17.2-37.7	10.8	2.7-18.9
State of Hawai'i	34.9	33.3-36.6	8.4	7.5-9.3	28.5	27.0-29.9	33.6	32.0-35.1	21.8	20.4-23.2	10.2	4.3-16.0	18.3	17.0-19.6	7.6	6.7-8.5

Binge Drinking (Men Having Five or More Drinks on one Occasion and Women Having Four or More Drinks on one Occasion)
 Heavy Drinking (Men Having >2 Drinks Per Day, Women Having >1 Drink per day)

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. Behavioral Risk Factor Surveillance System.