

Table 7.169 updated

Native Hawaiian Men Heavy Alcohol Consumption in Hawai'i: 2001-2013

Survey Question: Heavy alcohol consumption in men (Men having >2 drinks per day)

Year	Native Hawaiian Men (Men Having >2 Drinks Per Day)						Estimated Population
	Yes			No			
	No.	%	C.I. (95%)	No.	%	C.I. (95%)	No.
2014	6,600	11.8	8.1-15.4	49,700	88.2	84.6-91.9	56,300
2013	7,000	12.6	8.2-17.1	48,700	87.4	82.9-91.8	55,700
2012	9,700	16.1	9.6-22.6	50,600	83.9	77.4-90.4	60,200
2011	8,000	16.1	11.0-21.2	42,000	83.9	78.8-89.0	50,000
2010	12,300	20.0	12.6-27.4	49,300	80.0	72.6-87.4	61,700
2009	6,500	12.0	6.5-17.5	47,500	88.0	82.5-93.5	54,000
2008	5,400	8.6	4.3-12.8	58,100	91.4	87.2-95.7	63,500
2007	5,600	9.5	5.4-13.5	53,800	90.5	86.5-94.6	59,500
2006	3,200	5.9	2.9-8.8	51,500	94.1	91.2-97.1	54,700
2005	8,300	15.7	9.7-21.7	44,500	84.3	78.3-90.3	52,800
2004	10,100	19.9	9.0-30.8	40,800	80.1	69.2-91.0	50,900
2003	3,800	10.3	3.4-17.3	32,500	89.7	82.7-96.6	36,200
2002	5,600	9.6	4.3-14.9	52,800	90.4	85.1-95.7	58,500
2001	4,400	8.2	4.0-12.3	49,600	91.8	87.7-96.0	54,100

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. Behavioral Risk Factor Surveillance System. Alcohol-heavy alcohol consumption in men, for the State of Hawai'i

Year	State of Hawai'i Men (Men Having >2 Drinks Per Day)						Estimated Population
	Yes			No			
	No.	%	C.I. (95%)	No.	%	C.I. (95%)	No.
2014	48,300	9.4	8.0-10.7	468,300	90.6	89.3-92.0	516,600
2013	50,300	9.6	8.2-11.0	474,600	90.4	89.0-91.8	524,900
2012	47,700	9.2	7.8-10.6	472,800	90.8	89.4-92.2	520,500
2011	46,300	9.3	7.8-10.8	450,800	90.7	89.2-92.2	497,000
2010	42,500	8.6	7.0-10.2	452,200	91.4	89.8-93.0	494,700
2009	37,700	7.7	6.4-9.1	450,700	92.3	90.9-93.6	488,300
2008	41,300	8.5	6.9-10.1	442,500	91.5	89.9-93.1	483,800
2007	46,500	9.8	8.1-11.5	429,500	90.2	88.5-91.9	476,000
2006	36,200	7.7	6.5-9.0	433,400	92.3	91.0-93.5	469,600
2005	48,900	10.2	8.5-11.9	430,700	89.8	88.1-91.5	479,600
2004	55,400	12.5	9.1-16.0	386,100	87.5	84.0-90.9	441,500
2003	34,000	7.5	5.8-9.1	419,800	92.5	90.9-94.2	453,800
2002	27,100	6.1	4.8-7.4	417,800	93.9	92.6-95.2	445,000
2001	30,200	6.8	5.3-8.4	412,600	93.2	91.6-94.7	442,700

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. Behavioral Risk Factor Surveillance System. Alcohol-heavy alcohol consumption in men, for the State of Hawai'i