Table 7.177

**Survey Question:** During the past 12 months, have you had either a seasonal flu shot or a seasonal flu vaccine that was sprayed in your nose?

	Native Hawaiian Adults									
Year	Yes			No			Estimated Population			
	No.	%	C.I. (95%)	No.	%	C.I. (95%)	No.			
2013	33,600	36.3	31.4-41.1	59,000	63.7	58.9-68.6	92,500			
2012	42,700	36.2	31.1-41.2	75,400	63.8	58.8-68.9	118,200			
2011	30,700	35.0	29.7-40.3	57,000	65.0	59.7-70.3	87,700			

Year	State of Hawai'i Adults									
	Yes			No			Estimated Population			
	No.	%	C.I. (95%)	No.	%	C.I. (95%)	No.			
2013	320,800	40.3	38.4-42.2	475,400	59.7	57.8-61.6	796,200			
2012	311,700	37.1	35.1-39.1	528,800	62.9	60.9-64.9	840,500			
2011	296,500	37.2	35.2-39.1	501,500	62.8	60.9-64.8	798,000			

**Source:** Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. Behavioral Risk Factor Surveillance System. Flu-had shot or spray in past 12 months (18-64), for the State of Hawai'i