

Table 7.47a

Physical Abuse by Husband/Partner 12 Months Before Pregnancy by Race-Ethnicity in Hawai'i: 2010

**Survey Question:** (2009-2011) During the 12months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

**Survey Question:** (2004-2008) During the 12months before you got pregnant, were you physically hurt in any way by your husband or partner?

**Survey Question:** (2000-2003) During the 12months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

Year: 2010	Yes			No			Weighted Total Responses
	%	C.I. (95%)	#	%	C.I. (95%)	#	#
Caucasian	2.5%	1.2-5.0	100	97.5%	95.0-98.8	4,400	4,500
Native Hawaiian	5.1%	3.3-7.8	300	94.9%	92.2-96.7	5,300	5,600
Chinese	0.8%	.1-4.4	<50	99.2%	95.6-99.9	800	800
Filipino	1.3%	.7-2.5	<50	98.7%	97.5-99.3	3,300	3,300
Japanese	2.0%	.4-9.7	<50	98.0%	90.3-99.6	1,700	1,700
Other	2.7%	1.0-7.3	100	97.3%	92.7-99.0	2,700	2,800

**Table 7.47b**

Physical Abuse by Husband/Partner 12 Months Before Pregnancy for Native Hawaiian Mothers in Hawai'i: 2000-2010

Year	Native Hawaiian Mothers						
	Yes			No			Weighted Total Responses
	%	C.I. (95%)	#	%	C.I. (95%)	#	#
2010	5.1%	3.3-7.8	300	94.9%	92.2-96.7	5,300	5,600
2009	7.0%	4.4-10.9	400	93.0%	89.1-95.6	5,500	5,900
2008	6.3%	4.3-9.1	300	93.7%	90.9-95.7	4,900	5,200
2007	4.5%	2.8-7.1	200	95.5%	92.9-97.2	4,900	5,100
2006	6.9%	4.7-10.0	300	93.1%	90.0-95.3	4,700	5,000
2005	4.2%	2.6-6.6	200	95.8%	93.4-97.4	4,700	4,900
2004	5.0%	3.4-7.4	200	95.0%	92.6-96.6	4,600	4,800
2003	7.6%	6.1-9.3	400	92.4%	90.7-93.9	4,400	4,800
2002	7.4%	5.9-9.2	300	92.6%	90.8-94.1	4,300	4,600
2001	9.4%	8.1-10.9	400	90.6%	89.1-91.9	4,100	4,500
2000	11.2%	9.7-12.9	500	88.8%	87.1-90.3	4,100	4,600

Table 7.47c

Physical Abuse by Husband/Partner 12 Months Before Pregnancy for Mothers in Hawai'i: 2000-2010

Year	State of Hawai'i Mothers						
	Yes			No			Weighted Total Responses
	%	C.I. (95%)	#	%	C.I. (95%)	#	#
2010	3.0%	2.2-4.1	600	97.0%	95.9-97.8	18,000	18,600
2009	4.1%	3.0-5.6	800	95.9%	94.4-97.0	17,600	18,400
2008	3.5%	2.7-4.5	700	96.5%	95.5-97.3	18,100	18,800
2007	2.8%	2.1-3.8	500	97.2%	96.2-97.9	18,100	18,600
2006	4.6%	3.6-5.8	800	95.4%	94.2-96.4	17,500	18,300
2005	3.6%	2.8-4.7	600	96.4%	95.3-97.2	16,700	17,300
2004	3.1%	2.4-4.0	500	96.9%	96.0-97.6	17,100	17,600
2003	3.7%	2.9-4.7	600	96.3%	95.3-97.1	16,800	17,400
2002	3.8%	3.1-4.8	700	96.2%	95.2-96.9	16,400	17,100
2001	5.0%	4.3-5.9	800	95.0%	94.1-95.7	15,800	16,600
2000	6.1%	5.2-7.2	1,000	93.9%	92.8-94.8	16,000	17,000

**Source:** Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report -Physical abuse by hus/ptr 12 mos before preg-by State, County, DOH Race-Ethnicity, for the Year(s), (P4) 2000, 2001, 2002, 2003, (P5) 2004, 2005, 2006, 2007, 2008, (P6) 2009, 2010