

Table 7.66a update

Mother's Preconception Weight (BMI status) by Race-Ethnicity in Hawai'i: 2012

Survey Question: Just before you got pregnant with your new baby, how much did you weigh?

Race-Ethnicity	Underweight (BMI <18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥30)			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	3.3	1.7-6.4	2,500	62.1	55.3-68.4	900	21.3	16.3-27.4	500	13.3	9.3-18.8	4,100
Native Hawaiian	200	3.5	1.8-6.6	2,600	50.7	44.8-56.6	1,200	23.1	18.4-28.6	1,200	22.7	18.2-28.0	5,200
Chinese	100	8.5	3.2-20.9	800	75.7	61.8-85.7	100	8.0	3.2-18.6	100	7.7	2.8-19.7	1,000
Filipino	100	4.4	2.3-8.4	2,000	62.5	54.7-69.6	600	18.3	13.2-24.7	500	14.9	10.0-21.5	3,200
Japanese	100	5.8	2.3-13.8	1,000	67.5	56.1-77.2	200	12.9	7.1-22.4	200	13.8	7.6-23.8	1,500
Other	100	3.4	1.3-8.3	1,600	57.2	48.5-65.5	500	19.0	13.2-26.6	600	20.3	14.2-28.3	2,900

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Weight-BMI status (PRAMS)- by State, County, DOH Race-Ethnicity, for the Year(s) 2000-2012.

Table 7. 66b update

Mother's Preconception Weight (BMI status) for Native Hawaiian Mothers in Hawai'i: 2000-2012

Year	Native Hawaiian Mothers												Weighted Total Responses
	Underweight (BMI <18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥30)			
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	
2012	200	3.5	1.8-6.6	2,600	50.7	44.8-56.6	1,200	23.1	18.4-28.6	1,200	22.7	18.2-28.0	5,200
2011	200	3.2	1.8-5.6	2,600	52.2	46.3-58.1	1,200	24.3	19.6-29.8	1,000	20.2	16.0-25.3	5,100
2010	200	3.9	2.2-6.9	2,700	50.6	44.9-56.3	1,400	26.2	21.4-31.7	1,000	19.3	15.3-24.0	5,400
2009	200	3.0	1.6-5.7	2,700	46.6	41.1-52.2	1,400	24.2	19.7-29.3	1,500	26.2	21.6-31.4	5,700
2008	200	4.3	2.7-6.7	2,300	44.0	39.2-48.8	1,400	26.6	22.5-31.2	1,300	25.1	21.1-29.6	5,100
2007	200	4.1	2.5-6.6	2,600	50.9	45.9-55.8	1,100	22.3	18.5-26.7	1,100	22.7	18.9-27.1	5,000
2006	200	4.4	2.7-7.1	2,500	50.5	45.4-55.5	1,200	24.6	20.5-29.2	1,000	20.5	16.7-24.8	5,000
2005	200	5.1	3.4-7.8	2,100	43.8	38.9-48.7	1,300	28.1	23.8-32.7	1,100	23.0	19.1-27.5	4,800
2004	300	5.5	3.7-8.0	2,200	46.2	41.6-50.8	1,100	23.1	19.4-27.2	1,200	25.3	21.6-29.5	4,700
2003	200	3.5	2.5-4.8	2,300	48.6	45.6-51.6	1,300	26.6	24.0-29.4	1,000	21.3	19.0-23.9	4,700
2002	200	4.7	3.6-6.2	2,300	51.9	48.8-55.0	1,100	23.9	21.3-26.6	900	19.5	17.2-22.0	4,500
2001	200	4.7	3.8-5.9	2,400	53.6	51.1-56.0	1,000	22.7	20.7-24.8	800	19.0	17.1-21.0	4,400
2000	200	5.4	4.4-6.7	2,300	51.2	48.7-53.7	1,100	23.5	21.4-25.7	900	19.9	17.9-22.0	4,500

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Weight-BMI status (PRAMS)- by State, County, DOH Race-Ethnicity, for the Year(s) 2000-2012.

Table 7. 66c update

Mother's Preconception Weight (BMI status) for Hawai'i Mothers: 2000-2012

Year	State of Hawai'i Mothers												Weighted Total Responses
	Underweight (BMI <18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥30)			
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	
2012	700	4.1	3.0-5.6	10,600	59.3	56.1-62.5	3,500	19.4	17.0-22.1	3,100	17.2	14.8-19.8	17,900
2011	800	4.7	3.6-6.2	9,600	54.4	51.1-57.7	4,800	27.0	24.1-30.1	2,500	13.9	11.8-16.3	17,700
2010	1,000	5.3	4.0-7.1	10,000	55.5	52.3-58.7	4,400	24.2	21.5-27.1	2,700	14.9	12.7-17.3	18,000
2009	800	4.4	3.3-5.9	9,800	56.1	52.9-59.3	3,900	22.2	19.6-25.0	3,000	17.3	15.0-19.9	17,500
2008	1,000	5.7	4.7-6.9	10,200	55.5	53.2-57.8	4,100	22.1	20.2-24.2	3,100	16.7	14.9-18.6	18,400
2007	1,000	5.8	4.8-7.0	10,000	55.3	52.9-57.7	4,000	22.4	20.5-24.5	3,000	16.4	14.7-18.3	18,000
2006	1,100	5.9	4.8-7.1	10,500	58.3	55.8-60.7	3,900	21.7	19.7-23.8	2,600	14.2	12.5-16.0	18,000
2005	1,100	6.4	5.3-7.6	9,600	57.1	54.7-59.4	3,500	20.6	18.7-22.7	2,700	15.9	14.2-17.8	16,800
2004	1,200	6.7	5.7-7.9	9,200	54.0	51.8-56.1	3,900	22.8	21.0-24.7	2,800	16.5	14.9-18.3	17,100
2003	1,100	6.6	5.3-8.2	9,700	56.1	53.4-58.8	3,800	21.6	19.5-23.9	2,700	15.6	13.8-17.7	17,300
2002	800	5.1	4.0-6.4	9,800	59.6	56.8-62.4	3,700	22.2	20.0-24.7	2,100	13.0	11.3-15.0	16,500
2001	1,200	7.2	6.1-8.5	9,900	60.8	58.5-62.9	3,100	18.8	17.1-20.6	2,100	13.2	11.8-14.7	16,200
2000	1,400	8.4	7.2-9.8	9,700	59.1	56.9-61.3	3,300	20.0	18.3-21.8	2,100	12.6	11.2-14.1	16,500

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Weight-BMI status (PRAMS)- by State, County, DOH Race-Ethnicity, for the Year(s) 2000-2012.