

Table 7.71a update

Mothers who Smoked During Last 3 Months of Pregnancy by Race-Ethnicity in Hawai'i: 2012

Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	100	1.6	0.6-4.3	4,100	98.4	95.7-99.4	4,200
Native Hawaiian	400	8.2	5.6-12.0	4,600	91.8	88.0-94.4	5,000
Chinese	<50	1.3	0.3-5.0	1,000	98.7	95.0-99.7	1,000
Filipino	100	3.3	1.5-7.1	3,100	96.7	92.9-98.5	3,200
Japanese	<50	1.7	0.2-10.6	1,500	98.3	89.4-99.8	1,500
Other	100	4.0	1.7-9.0	2,800	96.0	91.0-98.3	2,900

**Source:** Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Smoking during last 3 months of pregnancy-by State, County, DOH Race-Ethnicity, for the Year(s) 2000-2012.

Table 7.71b update

Mothers who Smoked During Last 3 Months of Pregnancy for Native Hawaiian Mothers in Hawai'i: 2000-2012

Year	Native Hawaiian Mothers						
	Yes			No			Weighted Total Responses
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
2012	400	8.2	5.6-12.0	4,600	91.8	88.0-94.4	5,000
2011	400	8.5	6.1-11.7	4,800	91.5	88.3-93.9	5,200
2010	600	11.0	8.1-14.9	4,900	89.0	85.1-91.9	5,500
2009	900	14.8	11.4-19.1	4,900	85.2	80.9-88.6	5,800
2008	700	14.2	11.1-18.0	4,400	85.8	82.0-88.9	5,200
2007	700	14.2	11.0-18.0	4,300	85.8	82.0-89.0	5,000
2006	800	16.6	13.1-20.8	4,200	83.4	79.2-86.9	5,000
2005	600	12.1	9.2-15.7	4,200	87.9	84.3-90.8	4,800
2004	600	12.4	9.6-15.8	4,200	87.6	84.2-90.4	4,800
2003	700	14.0	12.0-16.3	4,000	86.0	83.7-88.0	4,700
2002	600	14.2	12.1-16.5	3,900	85.8	83.5-87.9	4,600
2001	700	16.4	14.7-18.4	3,700	83.6	81.6-85.3	4,400
2000	600	14.1	12.3-16.0	3,800	85.9	84.0-87.7	4,400

**Source:** Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Smoking during last 3 months of pregnancy-by State, County, DOH Race-Ethnicity, for the Year(s) 2000-2012.

Table 7.71c update

Mothers who Smoked During Last 3 Months of Pregnancy for Mothers in Hawai'i:  
2000-2012

Year	State of Hawai'i Mothers						
	Yes			No			Weighted Total Responses
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
2012	700	4.2	3.1-5.6	17,200	95.8	94.4-96.9	17,900
2011	900	5.0	3.9-6.4	17,500	95.0	93.6-96.1	18,400
2010	1,400	7.8	6.2-9.8	16,900	92.2	90.2-93.8	18,400
2009	1,700	9.6	7.9-11.7	16,300	90.4	88.3-92.1	18,000
2008	1,600	8.5	7.3-10.0	17,000	91.5	90.0-92.7	18,600
2007	1,500	8.4	7.1-9.8	17,000	91.6	90.2-92.9	18,500
2006	1,700	9.4	8.0-11.0	16,600	90.6	89.0-92.0	18,300
2005	1,400	8.4	7.1-9.8	15,800	91.6	90.2-92.9	17,200
2004	1,400	8.1	6.9-9.4	16,200	91.9	90.6-93.1	17,600
2003	1,600	9.3	7.9-11.0	15,800	90.7	89.0-92.1	17,400
2002	1,400	8.1	6.8-9.6	15,400	91.9	90.4-93.2	16,800
2001	1,600	9.5	8.4-10.8	14,900	90.5	89.2-91.6	16,400
2000	1,400	8.4	7.3-9.6	15,300	91.6	90.4-92.7	16,700

**Source:** Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Smoking during last 3 months of pregnancy-by State, County, DOH Race-Ethnicity, for the Year(s) 2000-2012.