Race-Ethnicity	Yes			No			Weighted Total Responses
	%	C.I.(95%)	#	%	C.I.(95%)	#	#
Caucasian	65.1	58.8-71.0	2,900	34.9	29.0- 41.2	1,600	4,500
Native Hawaiian	70.2	64.7-75.1	3,700	29.8	24.9-35.3	1,600	5,300
Chinese	66.5	49.4-80.1	500	33.5	19.9-50.6	200	700
Filipino	56.0	48.5-63.2	1,900	44.0	36.8-51.5	1,500	3,300
Japanese	56.9	46.5-66.8	1,100	43.1	33.2-53.5	800	1,900
Other	57.2	48.2-65.7	1,600	42.8	34.3-51.8	1,200	2,800

**Source:** Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Stressors during the 12 months before pregnancy- by State, County, DOH Race-Ethnicity, for the Year(s) 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011.

Table 7.73b

Stressors During the 12 Months Before Pregnancy for Native Hawaiian Mothers in Hawaii: 2000-2011

	Native Hawaiian Mothers							
Year	Yes			No			Weighted Total Responses	
	%	C.I.(95%)	#	%	C.I.(95%)	#	#	
2011	70.2	64.7-75.1	3,700	29.8	24.9-35.3	1,600	5,300	
2010	67.0	61.3-72.2	3,700	33.0	27.8-38.7	1,800	5,500	
2009	73.6	68.4-78.2	4,300	26.4	21.8-31.6	1,600	5,900	
2008	75.7	71.3-79.6	3,900	24.3	20.4-28.7	1,300	5,200	
2007	73.3	68.7-77.4	3,700	26.7	22.6-31.3	1,400	5,100	
2006	78.5	74.1-82.4	4,000	21.5	17.6-25.9	1,100	5,100	
2005	74.5	70.1-78.5	3,700	25.5	21.5-29.9	1,300	5,000	
2004	71.9	67.7-75.8	3,500	28.1	24.2-32.3	1,400	4,900	
2003	76.9	74.2-79.3	3,600	23.1	20.7-25.8	1,100	4,700	
2002	79.1	76.5-81.4	3,600	20.9	18.6-23.5	1,000	4,600	
2001	79.8	77.8-81.7	3,600	20.2	18.3-22.2	900	4,500	
2000	82.1	80.2-83.9	3,800	17.9	16.1-19.8	800	4,600	

**Source:** Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Stressors during the 12 months before pregnancy- by State, County, DOH Race-Ethnicity, for the Year(s) 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011.

	State of Hawai'i Mothers							
Year	Yes			No			Weighted Total Responses	
	%	C.I.(95%)	#	%	C.I.(95%)	#	#	
2011	63.0	59.8-66.0	11,700	37.0	34.0- 40.2	6,900	18,500	
2010	64.6	61.5-67.6	12,000	35.4	32.4-38.5	6,600	18,500	
2009	66.9	63.9-69.8	12,300	33.1	30.2-36.1	6,100	18,300	
2008	68.4	66.2-70.5	12,800	31.6	29.5-33.8	5,900	18,800	
2007	69.4	67.2-71.5	12,900	30.6	28.5-32.8	5,700	18,600	
2006	69.5	67.3-71.6	12,800	30.5	28.4-32.7	5,600	18,400	
2005	69.4	67.2-71.5	12,100	30.6	28.5-32.8	5,300	17,400	
2004	66.2	64.2-68.2	11,800	33.8	31.8-35.8	6,000	17,700	
2003	67.9	65.3-70.4	11,900	32.1	29.6-34.7	5,600	17,500	
2002	70.9	68.2-73.3	12,000	29.1	26.7-31.8	5,000	17,000	
2001	71.4	69.3-73.4	11,900	28.6	26.6-30.7	4,800	16,700	
2000	72.3	70.3-74.3	12,400	27.7	25.7-29.7	4,700	17,100	

**Source:** Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Stressors during the 12 months before pregnancy- by State, County, DOH Race-Ethnicity, for the Year(s) 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011.