

Table 7.77a

Physical Abuse by Husband/Partner 12 Months Before Pregnancy by Race-Ethnicity in Hawai'i: 2011

Survey Question: (2009-2011) During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

Survey Question: (2004-2008) During the 12 months before you got pregnant, were you physically hurt in any way by your husband or partner?

Survey Question: (2000-2003) During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

Race-Ethnicity	Yes			No			Weighted Total Responses
	%	C.I. (95%)	#	%	C.I. (95%)	#	#
Caucasian	0.1	0.0-0.7	<50	99.9	99.3-100.0	4,500	4,500
Native Hawaiian	5.6	3.3-9.3	300	94.4	90.7-96.7	5,000	5,300
Chinese	4.7	0.9-20.8	<50	95.3	79.2-99.1	700	700
Filipino	1.0	0.2-4.2	<50	99.0	95.8-99.8	3,300	3,300
Japanese	2.0	0.3-12.6	<50	98.0	87.4-99.7	1,900	1,900
Other	4.1	2.0-8.3	100	95.9	91.7-98.0	2,700	2,800

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Physical abuse by husband/partner 12 months before pregnancy-by State, County, DOH Race-Ethnicity, for the Year(s), (P4) 2000, 2001, 2002, 2003, (P5) 2004, 2005, 2006, 2007, 2008, (P6) 2009, 2010, 2011.

Table 7.77b

Physical Abuse by Husband/Partner 12 Months Before Pregnancy for Native Hawaiian Mothers in Hawai'i: 2000-2011

Year	Native Hawaiian Mothers						
	Yes			No			Weighted Total Responses
	%	C.I. (95%)	#	%	C.I. (95%)	#	#
2010	5.6	3.3-9.3	300	94.4	90.7-96.7	5,000	5,300
2010	5.1	3.3-7.8	300	94.9	92.2-96.7	5,300	5,600
2009	7.0	4.4-10.9	400	93.0	89.1-95.6	5,500	5,900
2008	6.3	4.3-9.1	300	93.7	90.9-95.7	4,900	5,200
2007	4.5	2.8-7.1	200	95.5	92.9-97.2	4,900	5,100
2006	6.9	4.7-10.0	300	93.1	90.0-95.3	4,700	5,000
2005	4.2	2.6-6.6	200	95.8	93.4-97.4	4,700	4,900
2004	5.0	3.4-7.4	200	95.0	92.6-96.6	4,600	4,800
2003	7.6	6.1-9.3	400	92.4	90.7-93.9	4,400	4,800
2002	7.4	5.9-9.2	300	92.6	90.8-94.1	4,300	4,600
2001	9.4	8.1-10.9	400	90.6	89.1-91.9	4,100	4,500
2000	11.2	9.7-12.9	500	88.8	87.1-90.3	4,100	4,600

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Physical abuse by husband/partner 12 months before pregnancy-by State, County, DOH Race-Ethnicity, for the Year(s), (P4) 2000, 2001, 2002, 2003, (P5) 2004, 2005, 2006, 2007, 2008, (P6) 2009, 2010, 2011.

Table 7.77c

Physical Abuse by Husband/Partner 12 Months Before Pregnancy for Mothers in Hawai'i: 2000-2011

Year	State of Hawai'i Mothers						
	Yes			No			Weighted Total Responses
	%	C.I. (95%)	#	%	C.I. (95%)	#	#
2011	2.8	1.9-4.2	500	97.2	95.8-98.1	18,000	18,500
2010	3.0	2.2-4.1	600	97.0	95.9-97.8	18,000	18,600
2009	4.1	3.0-5.6	800	95.9	94.4-97.0	17,600	18,400
2008	3.5	2.7-4.5	700	96.5	95.5-97.3	18,100	18,800
2007	2.8	2.1-3.8	500	97.2	96.2-97.9	18,100	18,600
2006	4.6	3.6-5.8	800	95.4	94.2-96.4	17,500	18,300
2005	3.6	2.8-4.7	600	96.4	95.3-97.2	16,700	17,300
2004	3.1	2.4-4.0	500	96.9	96.0-97.6	17,100	17,600
2003	3.7	2.9-4.7	600	96.3	95.3-97.1	16,800	17,400
2002	3.8	3.1-4.8	700	96.2	95.2-96.9	16,400	17,100
2001	5.0	4.3-5.9	800	95.0	94.1-95.7	15,800	16,600
2000	6.1	5.2-7.2	1,000	93.9	92.8-94.8	16,000	17,000

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Physical abuse by husband/partner 12 months before pregnancy-by State, County, DOH Race-Ethnicity, for the Year(s), (P4) 2000, 2001, 2002, 2003, (P5) 2004, 2005, 2006, 2007, 2008, (P6) 2009, 2010, 2011.