

Table 7.77a update

Physical Abuse by Husband/Partner 12 Months Before Pregnancy by Race-Ethnicity in Hawai'i: 2012

Survey Question: (2012-2016) During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

Survey Question: (2009-2011) During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

Survey Question: (2004-2008) During the 12 months before you got pregnant, were you physically hurt in any way by your husband or partner?

Survey Question: (2000-2003) During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	100	1.5	0.5-4.4	3,900	98.5	95.6-99.5	3,900
Native Hawaiian	200	3.2	1.6-6.0	4,900	96.8	94.0-98.4	5,100
Chinese	<50	1.2	0.3-4.6	1,100	98.8	95.4-99.7	1,100
Filipino	<50	1.1	0.3-4.5	3,200	98.9	95.5-99.7	3,300
Japanese	100	3.6	0.9-13.0	1,600	96.4	87.0-99.1	1,600
Other	<50	1.2	0.6-2.6	2,900	98.8	97.4-99.4	3,000

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report -Physical abuse by husband/partner 12 months before pregnancy-by State, County, DOH Race-Ethnicity, for the Year(s), (P4) 2000, 2001, 2002, 2003, (P5) 2004, 2005, 2006, 2007, 2008, (P6) 2009, 2010, 2011, (P7) 2012.

Table 7.77b update

Physical Abuse by Husband/Partner 12 Months Before Pregnancy for Native Hawaiian Mothers in Hawai'i: 2000-2012

Year	Native Hawaiian Mothers						
	Yes			No			Weighted Total Responses
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
2012	200	3.2	1.6-6.0	4,900	96.8	94.0-98.4	5,100
2011	300	5.6	3.3-9.3	5,000	94.4	90.7-96.7	5,300
2010	300	5.1	3.3-7.8	5,300	94.9	92.2-96.7	5,500
2009	400	7.0	4.4-10.9	5,500	93.0	89.1-95.6	5,900
2008	300	6.3	4.3-9.1	4,900	93.7	90.9-95.7	5,200
2007	200	4.5	2.8-7.1	4,900	95.5	92.9-97.2	5,100
2006	300	6.9	4.7-10.0	4,700	93.1	90.0-95.3	5,000
2005	200	4.2	2.6-6.6	4,700	95.8	93.4-97.4	4,900
2004	200	5.0	3.4-7.4	4,600	95.0	92.6-96.6	4,900
2003	400	7.6	6.1-9.3	4,400	92.4	90.7-93.9	4,700
2002	300	7.4	5.9-9.2	4,300	92.6	90.8-94.1	4,600
2001	400	9.4	8.1-10.9	4,100	90.6	89.1-91.9	4,500
2000	500	11.2	9.7-12.9	4,100	88.8	87.1-90.3	4,600

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report -Physical abuse by husband/partner 12 months before pregnancy-by State, County, DOH Race-Ethnicity, for the Year(s), (P4) 2000, 2001, 2002, 2003, (P5) 2004, 2005, 2006, 2007, 2008, (P6) 2009, 2010, 2011, (P7) 2012.

Table 7.77c update

Physical Abuse by Husband/Partner 12 Months Before Pregnancy for Mothers in Hawai'i: 2000-2012

Year	State of Hawai'i Mothers						
	Yes			No			Weighted Total Responses
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
2012	400	2.0	1.3-3.1	17,600	98.0	96.9-98.7	18,000
2011	500	2.8	1.9-4.2	18,000	97.2	95.8-98.1	18,500
2010	600	3.0	2.2-4.1	18,000	97.0	95.9-97.8	18,600
2009	800	4.1	3.0-5.6	17,600	95.9	94.4-97.0	18,400
2008	700	3.5	2.7-4.5	18,100	96.5	95.5-97.3	18,800
2007	500	2.8	2.1-3.8	18,100	97.2	96.2-97.9	18,700
2006	800	4.6	3.6-5.8	17,500	95.4	94.2-96.4	18,300
2005	600	3.6	2.8-4.7	16,700	96.4	95.3-97.2	17,400
2004	500	3.1	2.4-4.0	17,100	96.9	96.0-97.6	17,700
2003	600	3.7	2.9-4.7	16,800	96.3	95.3-97.1	17,400
2002	700	3.8	3.1-4.8	16,400	96.2	95.2-96.9	17,000
2001	800	5.0	4.3-5.9	15,800	95.0	94.1-95.7	16,700
2000	1,000	6.1	5.2-7.2	16,000	93.9	92.8-94.8	17,100

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report -Physical abuse by husband/partner 12 months before pregnancy-by State, County, DOH Race-Ethnicity, for the Year(s), (P4) 2000, 2001, 2002, 2003, (P5) 2004, 2005, 2006, 2007, 2008, (P6) 2009, 2010, 2011, (P7) 2012.