Survey Question: (2012-2016) During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

Survey Question: (2009-2011) During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

Survey Question: (2004-2008) During your most recent pregnancy, were you physically hurt in any way by your husband or partner?

Survey Question: (2000-2003) During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?

Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	100	1.5	0.5-4.4	3,900	98.5	95.6-99.5	4,000
Native Hawaiian	100	2.6	1.1-5.8	5,000	97.4	94.2-98.9	5,100
Chinese	<50	1.2	0.3-4.6	1,100	98.8	95.4-99.7	1,100
Filipino	100	1.9	0.8-4.6	3,200	98.1	95.4-99.2	3,300
Japanese	<50	2.0	0.3-12.4	1,600	98.0	87.6-99.7	1,600
Other	100	3.0	1.2-7.4	2,900	97.0	92.6-98.8	3,000

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report -Physical abuse by husband/partner during pregnancy-by State, County, DOH Race-Ethnicity, (P4) 2000, 2001, 2002, 2003, (P5) 2004, 2005, 2006, 2007, 2008, (P6) 2009, 2010, 2011, (P7) 2012.

Physical Abuse by Husband/Partner During Pregnancy for Native Hawaiian Mothers in Hawaii: 2000-2012

	Native Hawaiian Mothers							
Year		Yes			Weighted Total Responses			
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	
2012	100	2.6	1.1-5.8	5,000	97.4	94.2-98.9	5,100	
2011	100	2.5	1.3-4.9	5,100	97.5	95.1-98.7	5,300	
2010	300	5.6	3.6-8.6	5,200	94.4	91.4-96.4	5,500	
2009	300	5.3	3.2-8.8	5,600	94.7	91.2-96.8	5,900	
2008	200	3.9	2.4-6.2	5,000	96.1	93.8-97.6	5,200	
2007	200	3.9	2.3-6.3	4,900	96.1	93.7-97.7	5,100	
2006	300	5.3	3.4-8.2	4,700	94.7	91.8-96.6	5,000	
2005	100	2.6	1.4-4.7	4,800	97.4	95.3-98.6	4,900	
2004	200	4.5	2.9-6.8	4,700	95.5	93.2-97.1	4,900	
2003	300	5.4	4.2-7.0	4,500	94.6	93.0-95.8	4,700	
2002	200	5.4	4.1-7.0	4,400	94.6	93.0-95.9	4,600	
2001	300	7.3	6.1-8.6	4,200	92.7	91.4-93.9	4,500	
2000	400	8.4	7.1-9.9	4,200	91.6	90.1-92.9	4,600	

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report -Physical abuse by husband/partner during pregnancy-by State, County, DOH Race-Ethnicity, (P4) 2000, 2001, 2002, 2003, (P5) 2004, 2005, 2006, 2007, 2008, (P6) 2009, 2010, 2011, (P7) 2012.

	State of Hawai'i Mothers							
Year		Yes			Weighted Total Responses			
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	
2012	400	2.1	1.4-3.3	17,600	97.9	96.7-98.6	18,000	
2011	400	2.0	1.3-3.1	18,200	98.0	96.9-98.7	18,500	
2010	500	2.8	1.9-4.0	18,000	97.2	96.0-98.1	18,600	
2009	600	3.2	2.2-4.6	17,800	96.8	95.4-97.8	18,400	
2008	500	2.5	1.9-3.4	18,300	97.5	96.6-98.1	18,800	
2007	500	2.6	1.9-3.5	18,200	97.4	96.5-98.1	18,700	
2006	600	3.1	2.3-4.1	17,700	96.9	95.9-97.7	18,300	
2005	300	2.0	1.4-2.8	17,000	98.0	97.2-98.6	17,300	
2004	400	2.4	1.8-3.2	17,200	97.6	96.8-98.2	17,700	
2003	500	2.7	2.1-3.6	17,000	97.3	96.4-97.9	17,400	
2002	500	3.0	2.3-3.9	16,500	97.0	96.1-97.7	17,000	
2001	700	4.0	3.3-4.9	16,000	96.0	95.1-96.7	16,700	
2000	800	4.7	3.9-5.6	16,300	95.3	94.4-96.1	17,100	

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report -Physical abuse by husband/partner during pregnancy-by State, County, DOH Race-Ethnicity, (P4) 2000, 2001, 2002, 2003, (P5) 2004, 2005, 2006, 2007, 2008, (P6) 2009, 2010, 2011, (P7) 2012.