

**Survey Question:** Men aged 65 and older reporting flu shot in past year, pneumonia vaccination ever and either a colonoscopy/ sigmoidoscopy in 10 years or fecal occult blood test (FOBT) in past year

Year	State of Hawai'i						
	Yes			No			Estimated Population
	#	%	CI (95%)	#	%	CI (95%)	#
2011	24,300	33.0	28.6-37.5	49,300	67.0	62.5-71.4	73,600
2012	30,200	36.0	30.9-41.1	53,600	64.0	58.9-69.1	83,700
2013	32,400	40.5	35.4-45.5	47,600	59.5	54.5-64.6	80,000
2014	32,700	37.8	33.1-42.5	53,800	62.2	57.5-66.9	86,600

Year	Native Hawaiian						
	Yes			No			Estimated Population
	#	%	CI (95%)	#	%	CI (95%)	#
2011	n/r	n/r	n/r	5,300	77.8	64.7-91.0	6,800
2012	n/r	n/r	n/r	4,200	88.3	79.1-97.6	4,800
2013	1,300	29.1	13.7-44.4	3,100	70.9	55.6-86.3	4,300
2014	1,500	30.6	16.3-45.0	3,400	69.4	55.0-83.7	4,900

n/r = Not reported

**Source:** Hawai'i State, Department of Health, Office of Health Status Monitoring, Hawai'i Health Data Warehouse, Hawai'i Behavioral Risk Factor Surveillance System, Core preventive services-men (65+), for the State of Hawai'i, for the Year(s)-2011, 2012, 2013, 2014