Native Hawaiian Women Core Preventative Services (age 65 and older) in Hawai'i: 2011-2014

Survey Question: Women aged 65 and older reporting flu shot in past year, pneumonia vaccination ever and either a colonoscopy/sigmoidoscopy in 10 years or fecal occult blood test (FOBT) in past year plus a mammogram in past 2 years

	State of Hawaiʻi									
Year		Yes		No			Estimated Population			
	#	%	CI (95%)	#	%	CI (95%)	#			
2011	38,200	38.4	34.5-42.3	61,200	61.6	57.7-65.5	99,300			
2012	35,200	34.1	29.6-38.7	67,900	65.9	61.3-70.4	103,100			
2013	42,000	40.2	35.7-44.8	62,400	59.8	55.2-64.3	104,400			
2014	40,100	38.3	33.9-42.7	64,700	61.7	57.3-66.1	104,800			

	Native Hawaiian									
Year	Yes			No			Estimated Population			
	#	%	CI (95%)	#	%	CI (95%)	#			
2011	2,000	25.8	15.9-35.6	5,700	74.2	64.4-84.1	7,600			
2012	n/r	n/r	n/r	7,000	92.1	86.6-97.6	7,600			
2013	2,900	51.9	35.9-67.8	2,700	48.1	32.2-64.1	5,600			
2014	1,800	27.6	15.5-39.6	4,600	72.4	60.4-84.5	6,400			
n/r = Not reported										

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring, Hawai'i Health Data Warehouse, Hawai'i Behavioral Risk Factor Surveillance System, Core preventive services-women (65+), for the State of Hawai'i, for the Year(s)-2011, 2012, 2013, 2014