

Table 7.39a

Infant's Sleeping position by Race-Ethnicity in Hawai'i: 2010

Survey Question: In which one position do you most often lay your baby down to sleep now?

Year: 2010	Sleeping Position: Back			Sleeping Position: Stomach			Sleeping Position: Side			More than 1 position			Weighted Total Responses
	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	#
Caucasian	77.7%	71.8-82.6	3,500	10.6%	7.2-15.3	500	11.2%	7.7-16.0	500	0.5%	.2-1.3	<50	4,500
Native Hawaiian	71.7%	66.3-76.4	3,900	11.9%	8.6-16.2	600	12.5%	9.2-16.6	700	4.0%	2.4-6.5	200	5,400
Chinese	68.1%	50.6-81.6	500	10.1%	3.1-28.1	100	18.4%	8.8-34.6	100	3.4%	.5-20.0	<50	700
Filipino	73.5%	66.2-79.7	2,400	4.9%	2.4-9.5	200	14.8%	10.0-21.2	500	6.9%	3.9-11.9	200	3,300
Japanese	82.3%	73.0-88.9	1,400	8.45	4.3-15.7	100	7.6%	3.6-15.4	100	1.8%	.3-9.0	<50	1,600
Other	73.3%	64.4-80.6	2,000	8.2%	4.4-14.6	200	14.0%	8.5-22.1	400	4.5%	2.1-9.5	100	2,700

Table 7.39b

Sleeping position for Native Hawaiian Infants in Hawai'i: 2000-2010

Year	Native Hawaiian Infants												
	Sleeping Position: Back			Sleeping Position: Stomach			Sleeping Position: Side			More than 1 position			Weighted Total Responses
	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	#
2010	71.7%	66.3-76.4	3,900	11.9%	8.6-16.2	600	12.5	9.2-16.6	700	4.0%	2.4-6.5	200	5,400
2009	70.7%	65.5-75.5	4,100	11.2%	8.3-14.9	600	14.2	10.8-18.6	800	3.8%	2.2-6.7	200	5,700
2008	62.2%	57.3-66.9	3,200	16.0%	12.7-20.0	800	17.8	14.3-21.9	900	3.9%	2.4-6.4	200	5,100
2007	61.6%	56.7-66.3	3,100	17.2%	13.7-21.3	900	16.1	12.7-20.1	800	5.1%	3.3-7.9	300	5,100
2006	60.3%	55.2-65.2	3,000	16.3%	12.8-20.4	800	16.5	13.0-20.7	800	6.9%	4.7-10.0	300	4,900
2005	61.0%	56.1-65.7	2,900	15.2%	12.0-19.2	700	14.9%	11.7-18.8	700	8.9%	6.4-12.1	400	4,700
2004	61.8%	57.3-66.2	3,000	17.2%	14.0-20.9	800	17.8%	14.6-21.6	900	3.1%	1.9-5.2	200	4,900
2003	60.1%	57.1-63.1	2,700	18.4%	16.2-20.9	800	20.5%	18.1-23.1	900	0.9%	.5-1.7	<50	4,400
2002	57.5%	54.4-60.5	2,500	17.9%	15.6-20.4	800	17.0%	14.8-19.5	800	7.6%	6.2-9.4	300	4,400
2001	53.0%	50.5-55.5	2,300	17.4%	15.6-19.4	700	17.3%	15.5-19.3	700	12.3%	10.7-14.0	500	4,200
2000	55.0%	52.4-57.5	2,400	19.6%	17.6-21.8	800	19.8%	17.8-22.0	900	5.6%	4.5-6.9	200	4,300

Table 7.39c

Sleeping position for Infants in Hawai'i: 2000-2010

Year	State of Hawai'i Infant												
	Sleeping Position: Back			Sleeping Position: Stomach			Sleeping Position: Side			More than 1 position			Weighted Total Responses
	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	#
2010	74.5%	71.6-77.2	13,600	9.4%	7.7-11.5	1,700	12.6%	10.6-14.9	2,300	3.5%	2.5-4.8	600	18,200
2009	76.9%	74.2-79.4	13,900	9.4%	7.7-11.3	1,700	10.9%	9.2-12.9	2,000	2.8%	1.9-4.1	500	18,100
2008	71.6%	69.3-73.7	13,100	11.3%	9.9-12.9	2,100	14.2%	12.6-16.0	2,600	3.0%	2.2-3.9	500	18,300
2007	71.7%	69.5-73.9	12,800	11.5%	10.0-13.1	2,000	13.2%	11.6-14.9	2,400	3.6%	2.8-4.7	600	17,800
2006	67.0%	64.6-69.3	11,800	11.9%	10.4-13.7	2,100	15.85%	14.0-17.7	2,800	5.3%	4.3-6.6	900	17,600
2005	67.2%	64.9-69.4	11,400	11.6%	10.1-13.2	2,000	13.3%	11.7-15.0	2,200	7.9%	6.7-9.4	1,300	16,900
2004	67.6%	65.5-69.7	11,800	12.6%	11.2-14.2	2,200	17.6%	16.0-19.4	3,100	2.1%	1.5-2.9	400	17,500
2003	68.7%	66.1-71.1	11,500	11.6%	10.1-13.3	1,900	19.0%	16.9-21.2	3,200	0.8%	.4-1.4	100	16,700
2002	66.7%	64.0-69.2	10,800	12.3%	10.6-14.2	2,000	15.8%	13.9-17.9	2,600	5.2%	4.2-6.5	800	16,200
2001	62.3%	60.1-64.5	9,900	11.9%	10.6-13.3	1,900	16.9%	15.3-18.8	2,700	8.9%	7.7-10.2	1,400	15,900
2000	63.3%	61.1-65.4	10,200	13.8%	12.4-15.3	2,200	18.5%	16.8-20.3	3,000	4.5%	3.7-5.4	700	16,100

Source: Hawai'i State, Department of Health, Office of Health Status Monitoring. Hawaii Health Data Warehouse. PRAMS Health Indicator Report-Sleeping position- by State, County, DOH Race-Ethnicity, for the Year(s) 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010