

Table 7.73a

Five Leading Cancer Sites for Incidence by Males and Race-Ethnicity in Hawai'i: 2000-2005

Incidence	Race-Ethnicity									
	Native Hawaiian		White		Chinese		Filipino		Japanese	
Male	Cases	Total (%)	Cases	Total (%)	Cases	Total (%)	Cases	Total (%)	Cases	Total (%)
Bladder (Urinary)			372	6.3	52	4.7			279	5.5
Colon & Rectum	278	12.6	587	10.0	150	13.4	336	13.9	853	16.9
Kidney & Renal Pelvis	92	4.2								
Leukemia	124	5.6					126	5.2		
Lung & Bronchus	412	18.6	720	12.2	132	11.8	426	17.6	628	12.4
Melanoma (Skin)			781	13.3						
NHL					71	6.4	101	4.2		
Prostate	444	20.0	1,443	24.5	359	32.1	757	31.3	1,492	29.5
Stomach									331	6.6
<b>Total, All Sites</b>	2,212	100.0	5,880	100.0	1,117	100.0	2,420	100.0	5,053	100.0

■ Most frequently diagnosed or leading cause of cancer death for race-ethnicity.  
■ Second most frequently diagnosed or second leading cause of cancer death for race-ethnicity.  
■ Third most frequently diagnosed or third leading cause of cancer death for race-ethnicity.

Note: Invasive cases only. Counts are 6 year totals.  
 NHL = Non-Hodgkin lymphoma. Liver includes hepatic bile duct.

Source: Hawai'i State. University of Hawai'i. Cancer Research Center of Hawai'i. *Hawai'i Cancer Facts & Figures 2010*.